

Certificate no: CMNZ30119

Version: C

Original issue date: 30/11/2021

Version date: 08/12/2023

Renewal date: 30/11/2024

Product Certificate

EQUITONE Facade System

1. Certificate Holder Details

Promat Australia Pty Ltd
ETEX Exteriors ANZ
Suite 201, 198 Harbour Esplanade
Docklands VIC 3008 AUSTRALIA
Phone: +61 3 9988 2290
Email: infor.australia@equitone.com
Web: www.equitone.com/en-nz

2. Product Certification Body

Global-Mark Pty Ltd
Trading as Global-Mark
57 Willis Street, Wellington, 6011
customer.service@global-mark.co.nz
+64 9 889 0622
www.global-mark.co.nz



Complaints: The complaints process for this certificate can be found here:
www.global-mark.co.nz/complaints/

3. Signature

Global-Mark Managing Director

Herve Michoux

4. Description of Building Method or Product

The EQUITONE Facade System consists of EQUITONE Facade panels in numerous profiles/finishes including: [natura], [materia], [natura] PRO, [tectiva], [pictura], [lunara] & [lines], fixed to either timber battens or metal support frame with face or hidden fixings using EQUITONE proprietary or recommended fasteners, flashing and profiles. The EQUITONE Facade System may be installed with either a flexible (pliable) or rigid weather barrier.

5. Intended use of Building Method or Product

The EQUITONE Facade System may be used as an external wall cladding and/or as an internal wall lining for all buildings within the scope of limitations detailed below.

6. New Zealand Building Code Provisions

The EQUITONE Facade System, if designed, used, installed and maintained in accordance with the conditions of this Certificate will comply with or contribute to compliance with the following performance provisions of the NZ Building Code:

Clause B1 STRUCTURE:	Performance B1.3.1, B1.3.2 & B1.3.4, for the relevant physical conditions of B1.3.3 (a), (h), (j) & (q)
Clause B2 DURABILITY:	Performance B2.3.1 (b)
Clause C3 FIRE:	Performance C3.4 (a), C3.5 & C3.7 (b) & (c)
Clause E2 EXTERNAL MOISTURE:	Performance E2.3.2, E2.3.5 & E2.3.7
Clause F2 HAZARDOUS BUILDING MATERIALS:	Performance F2.3.1

7. Conditions and Limitations of Use

1. The EQUITONE Facade System is certified for use as an external wall cladding on buildings complying with the NZ Building Code:
 - a. Designed:
 - i. in accordance with NZS 3604:2011 for timber framed buildings, or
 - ii. in accordance with NZS 3404:2009 Part 1 and NASH Standard Part 2: May 2019 for Light Steel Framed Buildings, or
 - iii. in accordance with NZS 4229:2013 for masonry buildings, or
 - iv. by Specific Engineering Design in accordance with B1/VM1 by an appropriately qualified engineer, and

JAS-ANZ



This certificate is issued by an independent certification body accredited by JAS-ANZ, the product certification body appointed by the Chief Executive of the Ministry of Business, Innovation and Employment under the Building Act 2004. This certificate may only be reproduced in its entirety. It is advised to check that this certificate is currently valid and not withdrawn or suspended by referring to the Register of Product Certificates on the Building Performance website <http://www.building.govt.nz>. The purpose of construction site audits is to confirm the practicability of installing the product; and to confirm the appropriateness and accuracy of installation instructions. In issuing this certificate, Global-Mark has relied on the independent expert and/or laboratory advise or reports. In placing the CodeMark mark on the product/system, the certificate holder makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein.

Certificate no: CMNZ30119

Version: C

Original issue date: 30/11/2021

Version date: 08/12/2023

Renewal date: 30/11/2024

- b. where a flexible membrane is incorporated in the EQUITONE Facade System, with the following limitations:
 - i. Substrate and cladding framing deflections not exceeding Span/250, and
 - ii. SLS wind pressure: $\pm 1,515$ Pa, and
 - iii. ULS wind pressure: $\pm 2,500$ Pa, and
 - iv. building height: Up to 10 metres, and
 - c. where a rigid air barrier is incorporated in the EQUITONE Facade System, with the following limitations:
 - i. Substrate and cladding framing deflections not exceeding Span/250, and
 - ii. SLS wind pressure: $\pm 2,250$ Pa, and
 - iii. ULS wind pressure: $\pm 3,200$ Pa, and
 - iv. building height: Up to 25 metres, and
 - v. in accordance with the scope limitations of BRANZ EM7 (version 3, June 2020) paragraph 2, and
 - d. located anywhere with respect to a relevant boundary (subject to other components of the external wall satisfying fire related code compliance requirements), except that;
 - i. [natura] & [materia] must be installed greater than 1 metre away from a relevant boundary, and
 - e. in all Exposure Zones (except for microclimates) as defined in NZS 3604:2011 paragraph 4.2.4, provided all fasteners and fixings are in accordance with section 4 of NZS 3604:2011, and
 - f. with aluminium window and door joinery that meets the requirements of NZS 4211:2008 including Amendment 1 and installed with suitable vertical jambs and horizontal heads and sills flashings.
2. EQUITONE Facade panels are certified for use as an internal wall lining in buildings:
 - a. with Importance Levels of 1 to 4 and
 - b. in any area of the building, except wet areas, and
 - c. with or without an automatic fire sprinkler system.
 3. The EQUITONE Facade System must be specified, installed and maintained in accordance with the following documentation referenced as the applicable technical literature:
 - EQUITONE Design & Installation Guide_Face fixings on timber frame NZ_AUG 2023 Ed 2
 - EQUITONE construction details NZ - face fixings on timber support frame – AUG 2023 Ed 3
 - EQUITONE Design & Installation Guide_Face fixings on metal frame NZ_AUG 2023 Ed 2
 - EQUITONE construction details NZ - face fixings on metal support frame – AUG 2023 Ed 3
 - EQUITONE Design & Installation Guide_Concealed fixing system NZ_AUG 2023 Ed 2
 - EQUITONE construction details NZ - concealed fixing system – AUG 2023 Ed 3
 - EQUITONE comprehensive cleaning & maintenance information, May 2023
 4. The designer shall provide a signed declaration for submission with the building consent application that the use of this product in the proposed building work falls within the scope of this certificate and that all design conditions of this certificate have been met.
 5. The installer shall supply a signed Declaration that the product has been installed in accordance with the installation conditions of this certificate, for consideration for issuing a Code Compliance Certificate (CCC).

Certificate no: CMNZ30119

Version: C

Original issue date: 30/11/2021

Version date: 08/12/2023

Renewal date: 30/11/2024

8. Health and Safety Information

Standard industry safety practices and manufacturer safety requirement as detailed in the technical literature including the applicable MSDS and SDS must be observed at all times. Please refer to:

- [lunara]_ Material Safety Data Sheet_MAR2021 ANZv1, ref: E-45-20 en v2
- [natura]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-09 en v3
- [natura] PRO_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-13 en v3
- [pictura]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-10 en v3
- [tectiva]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: F05 E-45-08 en v2
- [lines]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-12 en v2
- Luko_SDS_2019_en Safety Data Sheet, issued 22.07.2019 Version 2

9. Basis for Certification

The certification decision is based on independent technical review(s) of test report(s), engineering opinion(s) and other documented evidence(s), factory audit(s) and site review(s)

Code Clause	Compliance pathway	Evidence
B1 STRUCTURE:	Verification method – Testing and assessment	Items 1 to 15 & 17 to 24
B2 DURABILITY:	Verification method – Testing and assessment	Items 1 to 16 & 25 to 27
C3 FIRE:	Verification method – Testing and assessment Acceptable solution – Testing and assessment	Items 1 to 15 & 28 to 35
E2 EXTERNAL MOISTURE:	Verification method – Testing and assessment	Items 1 to 15 & 36 to 38
F2 HAZARDOUS BUILDING MATERIALS:	Alternate solution - Expert judgement	Items 1 to 15 & 39 to 45

10. Supporting Documentation for Certification

Ref	Author	Title	Date and/or Revision
1	ETEX Exteriors ANZ	EQUITONE Design & Installation Guide_Face fixings on timber frame NZ_AUG 2023 Ed2	August 2023, Rev 2
2	ETEX Exteriors ANZ	EQUITONE CAD details NZ - face fixings on timber support frame – AUG 2023 Ed3	August 2023, Rev 3

Certificate no: CMNZ30119

Version: C

Original issue date: 30/11/2021

Version date: 08/12/2023

Renewal date: 30/11/2024

3	ETEX Exteriors ANZ	EQUITONE Design & Installation Guide_Face fixings on metal frame NZ_AUG 2023 Ed2	August 2023, Rev 2
4	ETEX Exteriors ANZ	EQUITONE CAD details NZ - face fixings on metal support frame – AUG 2023 Ed3	August 2023, Rev 3
5	ETEX Exteriors ANZ	EQUITONE Design & Installation Guide_Concealed fixing system NZ_AUG 2023 Ed2	August 2023, Rev 2
6	ETEX Exteriors ANZ	EQUITONE CAD details NZ - concealed fixing system – AUG 2023 Ed3	August 2023, Rev 3
7	ETEX Exteriors ANZ	[tectiva]_ Material Information Sheet	July 2023
8	ETEX Exteriors ANZ	[natura]_ Material Information Sheet	July 2023
9	ETEX Exteriors ANZ	[natura] pro_ Material Information Sheet	July 2023
10	ETEX Exteriors ANZ	[pictura]_ Material Information Sheet	July 2023
11	ETEX Exteriors ANZ	[lines]_ Material Information Sheet	July 2023
12	ETEX Exteriors ANZ	[textura]_ Material Information Sheet	July 2023
13	ETEX Exteriors ANZ	[lunara]_ Material Information Sheet	July 2023
14	ETEX Exteriors ANZ	[materia]_ Material Information Sheet	July 2023
15	ETEX Exteriors ANZ	Luko_ Material Information Sheet	May 2023
16	ETEX Exteriors ANZ	EQUITONE comprehensive cleaning & maintenance information	May 2023
17	Venn Engineering	VE-EQA201217F_Structural Analysis Report EQUITONE Cladding	25 May 2023
18	Azuma Design Pty Ltd	Test Report AZT0326.20	10 August 2020
19	Azuma Design Pty Ltd	Test Report AZT0327.20	7 August 2020
20	Azuma Design Pty Ltd	Test Report AZT0328.20	12 August 2020
21	Azuma Design Pty Ltd	Test Report AZT0329.20	6 August 2020
22	Azuma Design Pty Ltd	Test Report AZT0330.20	12 August 2020
23	Azuma Design Pty Ltd	Test Report AZT0331.20	12 August 2020

Certificate no: CMNZ30119

Version: C

Original issue date: 30/11/2021

Version date: 08/12/2023

Renewal date: 30/11/2024

24	Azuma Design Pty Ltd	Test Report AZT0339.20	20 August 2020
25	Oculus Architectural Engineering Ltd	Durability Assessment for EQUITONE & CEDRAL Cladding, J200059	30 July 2020
26	SIRIM QAS International	Test reports, 2015CB2159, 2015CB2160, 2015CB2161, 2015CB2162, 2015CB2163, 2015CB2164, 2015CB2165	6 January 2016
27	SIRIM QAS International	Test reports, 2015CB2152, 2015CB2153, 2015CB2154, 2015CB2155, 2015CB2156, 2015CB2157, 2015CB2158	6 January 2016
28	AWTA Product Testing	ISO 5660.1 Group number certificate no. 19-005701	19 November 2019
29	AWTA Product Testing	ISO 5660.1 Group number certificate no. 19-003656	9 August 2019
30	AWTA Product Testing	ISO 5660.1 Group number certificate no. 19-003368	21 June 2019
31	AWTA Product Testing	ISO 5660.1 Group number certificate no. 19-004984	13 September 2019
32	AWTA Product Testing	ISO 5660.1 Test report no. 19-005702	19 November 2019
33	AWTA Product Testing	ISO 5660.1 Test report no. 19-002855	8 August 2019
34	AWTA Product Testing	ISO 5660.1 Test report no. 19-002856	14 June 2019
35	AWTA Product Testing	ISO 5660.1 Test report no. 19-004983	12 September 2019
36	Facade Testing NZ Limited	E2/VM1 Facade Test report no. FT-R1040	24 March 2020
37	Facade Testing NZ Limited	E2/VM1 Facade Test report no. FT-R1042	24 March 2020
38	Oculus Architectural Engineering Ltd	EQUITONE Facade System Weatherproofing Assessment, ref: J200067	25 September 2020
39	ETEX Exteriors ANZ	[lunara]_ Material Safety Data Sheet_MAR2021 ANZv1, ref: E-45-20 en v2	March 2021
40	ETEX Exteriors ANZ	[natura]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-09 en v3	March 2021
41	ETEX Exteriors ANZ	[natura] PRO_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-13 en v3	March 2021
42	ETEX Exteriors ANZ	[pictura]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-10 en v3	March 2021
43	ETEX Exteriors ANZ	[tectiva]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: F05 E-45-08 en v2	March 2021

Certificate no: CMNZ30119

Version: C

Original issue date: 30/11/2021

Version date: 08/12/2023

Renewal date: 30/11/2024

44	ETEX Exteriors ANZ	[lines]_ Material Safety Data Sheet_MAR2021 ANZv2, ref: E-45-12 en v2	March 2021
45	ETEX Exteriors ANZ	[luko]_SDS_2019_en Safety Data Sheet, issued 22.07.2019 Version 2	22 July 2019

* These documents were provided commercial in confidence and are not publicly available

11. Supporting Information About Description (Optional)

The EQUITONE Facade panels are fibre reinforced cement sheeting (Fibre Cement) manufactured in accordance with EN 12467 and AS/NZS 2908.2. Material information is provided in the following documentation:

- [tectiva]_ Material Information Sheet, July 2023
- [natura]_ Material Information Sheet, July 2023
- [natura] pro_ Material Information Sheet, July 2023
- [pictura]_ Material Information Sheet, July 2023
- [lines] LT_ Material Information Sheet, July 2023
- [textura]_ Material Information Sheet, July 2023
- [lunara]_ Material Information Sheet, July 2023
- [materia]_ Material Information Sheet, July 2023

12. Supporting Information About Intended Use (Optional)

The EQUITONE Facade System accessories and approved construction components are detailed in the following technical documentation:

- EQUITONE Design & Installation Guide_Face fixings on timber frame NZ_AUG 2023 Ed 2
- EQUITONE Design & Installation Guide_Face fixings on metal frame NZ_AUG 2023 Ed 2
- EQUITONE Design & Installation Guide_Concealed fixing system NZ_AUG 2023 Ed 2

For recommended cleaning and general maintenance instructions of the EQUITONE Facade System, refer to:

- EQUITONE comprehensive cleaning & maintenance information, May 2023

13. Supporting Information About Conditions and Limitations of Use (Optional)

In addition to the limitations of Condition 1 (c) i-v, other design features and parameters that limit the scope of E2/VM2 (BRANZ EM7) may also limit the scope of this certificate and must be taken into account by the designer.

All CodeMark certificates that are current must be registered with MBIE. MBIE maintains a register of valid product certificates. [Please find the register here.](#)

If the certificate is not listed on this register or it appears as (SUSPENDED), it is not a valid CodeMark certificate and does not have to be accepted by a building consent authority as establishing compliance with the New Zealand Building Code.