

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PROMAPAIN[®]-DC1
Product group : Fire protection

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Etex Building Performance N.V.
Bormstraat 24
2830 Tisselt - BELGIUM
T +32 15 71 81 00 - F +32 15 71 81 09
info@promat-international.com - www.promat-international.com

Other

Etex Building Performance S.p.A.
Via Perlasca 14
27010 Vellezzo Bellini (PV) - Italy
T +39 0382 4575 245 - F +39 0382 4575 250
info@promat.it - www.promat.it

Other

Promat France
2 rue Charles-Edouard JEANNERET- CS 90129
78306 POISSY Cedex - France
T +33 1 39 79 61 60
info@promat.fr - www.promat.fr

Other

Promat Ibérica S.A.
C/ Velazquez, 47 – 6° Izquierda
28001 Madrid - Spain
T +34 91 781 1550 - F +34 91 575 15 97
info@promat.es - www.promat.es

Other

Etex Building Performance B.V.
Vleugelboot 22
3991 CL Houten - Nederland
T +31 30 241 0770 - F +31 30 241 0771
info@promat.nl - www.promat.nl

Other

Promat s.r.o.
Ckalova 22/784
16000 Praha 6 - Bubeneč - Czech Republic
T +420 224 390 811 - F +420 233 333 576
promat@promatpraha.cz - www.promatpraha.cz

Other

Etex Building Performance GmbH
Scheifenkamp 16
40878 Ratingen - Germany
T +49-2102 493 0 - F +49-2102 493 111
mail@promat.de - www.promat.de

Other

Etex Building Performance Limited
Gordano House, Marsh Lane, Easton-in-Gordano
Eastern Road
BS20 ONE Bristol - United Kingdom
T +44 1275 377 773
marketinguk@promat.co.uk - www.promat.co.uk

Other

Etex Building Performance GmbH
St.-Peter-Straße 25
4021 Linz - Austria
T +43 732-6912-0
info.at@etexgroup.com - www.promat.at

Other

Promat TOP Sp. z.o.o.
ul. Przechlowska 8
03-879 Warszawa - Poland
T +48-22 212 2280 - F +48-22 212 2290
top@promatop.pl - www.promatop.pl

Other

Promat d.o.o.
Trata 50
4220 Skofja Loka - Slovenia
T +386 4 51 51 451 - F +386 4 51 51 450
info@promat-see.com - www.promat-see.com

Other

Promat AG
Stationsstrasse 1
8545 Rickenbach Sulz - Switzerland
T +41 52 320 9400 - F +41 52 320 9402
office@promat.ch - www.promat.ch

Other

Etex Building Performance, Etex Nordic A/S
Kometvej 36
6230 Rodekro - Denmark
T +45 7366 1999
info@promat.nu - www.promat.nu

Other

Promat Fire Protection LLC
Plot No. 597-921 Dubai Investment Park 2
123945 Dubai - United Arab Emirates
T +971 4 885 3070 - F +971 4 885 3588
info@promatfp.ae - www.promatmiddleeast.com

PROMAPAIN[®]-DC1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

1.4. Emergency telephone number

Emergency number : +32 15 71 81 00
During office hours:
Monday-Friday: 8.00 a.m. - 4.30 p.m. (MEZ) .
Language
English
French
Dutch

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)(55965-84-9), 2-methyl-2H-isothiazol-3-one(2682-20-4), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2' -oxybisethanol; diethylene glycol	(CAS-No.) 111-46-6 (EC-No.) 203-872-2 (EC Index-No.) 603-140-00-6	0 - 2	Acute Tox. 4 (Oral), H302 STOT RE 2, H373

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothes.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact : Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.

PROMAPAIN[®]-DC1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after ingestion : Rinse mouth out with water. Drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : No supplementary information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used. Use extinguishing media appropriate for surrounding fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : None known. This is a water-based product and presents no particular fire or explosion hazard.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ensure adequate ventilation. Wear suitable protective clothing and gloves. Avoid contact with skin and eyes.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Pick up mechanically. Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

See sections 7, 8 and 11.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Spray application of a coating system typically requires respiratory protection to prevent from inhalation of paint aerosols as well as from volatile and non-volatile (e.g. pigments, fillers) paint components, independent from the nature of the coatings system. Spray application requires improved respiratory protection by using at least a combination filter A/P2 or A/P3 or a supplied air system, depending on the extend of spray operation duration of spraying, extend of aerosol formation, etc.).

Precautions for safe handling : Use only in well ventilated areas. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool area. Protect against frost. Keep out of the reach of children.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2,2' -oxybisethanol; diethylene glycol (111-46-6)		
Ireland	Local name	Diethylene glycol
Ireland	OEL (8 hours ref) (mg/m ³)	100 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	23 ppm
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
United Kingdom	Local name	2,2'-Oxydiethanol
United Kingdom	WEL TWA (mg/m ³)	101 mg/m ³
United Kingdom	WEL TWA (ppm)	23 ppm

PROMAPAIN[®]-DC1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,2' -oxybisethanol; diethylene glycol (111-46-6)		
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE
Iceland	Local name	Dietylenglykól
Iceland	OEL (8 hours ref) (mg/m ³)	11 mg/m ³
Iceland	OEL (8 hours ref) (ppm)	2,5 ppm
Iceland	Regulatory reference	Reglugerð um mengunarmörk og aðgerðir til að draga úr mengun á vinnustöðum (Nr. 390/2009)

Calcium carbonate (1317-65-3)		
Ireland	Local name	Calcium carbonate
Ireland	OEL (8 hours ref) (mg/m ³)	10 mg/m ³ total inhalable dust 4 mg/m ³ respirable dust
Ireland	Regulatory reference	Code of Practice for the Chemical Agents Regulations 2018
United Kingdom	Local name	Calcium carbonate (Limestone, Marble)
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ total inhalable 4 mg/m ³ respirable
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

Additional information : Exposure limit values have been established by many authorities. Check on limit values that apply in your local situation. Ensure all national/local regulations are observed.

8.2. Exposure controls

Appropriate engineering controls:

Ensure adequate ventilation. Ensure exposure is below occupational exposure limits (where available).

Hand protection:
Protective gloves
Eye protection:
Risk of contact: wear approved safety goggles.
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Provide by spray application improved respiratory protection by using at least a combination filter A/P2 or A/P3 or a supplied air system, depending on the extend of spray operation, duration of spraying, extend of aerosol formation, etc.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous liquid.
Colour	: White.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: ≈ 100 °C
Flash point	: > 100 °C
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1,35 g/cm ³
Solubility	: No data available

PROMAPAIN[®]-DC1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : < 30 g/l (Dir 2004/42/CE Annex II, A - max. VOC - Phase II, i, WB: 140 g/l)

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Freezing and extreme heat.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

2,2' -oxybisethanol; diethylene glycol (111-46-6)

LD50 oral	12565 mg/kg rabbit
LD50 dermal rabbit	11890 mg/kg

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Other information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation. When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

PROMAPAIN[®]-DC1

Additional information	No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation
------------------------	---

2,2' -oxybisethanol; diethylene glycol (111-46-6)

LC50 fish 1	32000 mg/l
-------------	------------

12.2. Persistence and degradability

No additional information available

PROMAPAIN[®]-DC1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

PROMAPAIN[®]-DC1

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Do not allow entry to drains, sewers, water courses or soil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Do not allow entry to drains, sewers, water courses or soil. Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : 08 00 00 - WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 12 - waste paint and varnish other than those mentioned in 08 01 11

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated

No supplementary information available

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

PROMAPAIN[®]-DC1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	2,2' -oxybisethanol; diethylene glycol
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	2,2' -oxybisethanol; diethylene glycol

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : < 30 g/l (Dir 2004/42/CE Annex II, A - max. VOC - Phase II, i, WB: 140 g/l)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

2. Hazards identification.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH208	Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H - isothiazol-3- one [EC no. 220-239-6] (3:1); reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)(55965-84-9), 2-methyl-2H- isothiazol-3-one(2682-20-4), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one(2634-33-5). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Safety Data Sheet applicable for regions : CY;GB;GI;IE;IS;MT

SDS EU (REACH Annex II) custom

The Safety Information given in this document was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This Safety Information was prepared and is to be used only for this product. If the product is used as a component in another product, this Safety Information may not be applicable.

This data sheet and the information it contains is not intended to supersede any terms or conditions of sale and does not constitute a specification. Nothing contained herein is to be construed as a recommendation for use in violation of any patent or applicable laws or regulations.