

Safety information

Revision date: 5/20/2022 Supersedes version of: 2/15/2017 Version: 1.3

GRADE 1000R HY is an article within the meaning of REACH (REGULATION (EC) No 1907/2006) and CLP (REGULATION (EC) No 1272/2008). SDSs do not have to be provided for articles. Moreover this article, for which safety information is given, does not contain substances of very high concern, substances of which the use is restricted by the Commission or substances on the Candidate List of Substances of Very High Concern for Authorization. Even if this article is not subjected to any obligation to classify or label (Art 4 of Regulation (EC) No 1272/2008), Promat has decided to provide information about identification, first aid and release measures, exposure control, disposal and transport. This safety information sheet gives details to industrial and professional users on the safe use of this article.

SECTION 1: Identification of the article and of the company/undertaking

1.1. Product identifier

Product form	: Article
Product name	: GRADE 1000R HY
Type of product	: Microporous high temperature insulation,
	Grade family : 1000R HY and related products.
	Valid for : MICROTHERM® PANEL-1000R HY, MICROTHERM® (SEMI-)OVERSTITCHED-
	1000R HY, MICROTHERM® (SEMI-)QUILTED-1000R HY, MICROTHERM® SLATTED-
	1000R HY, SLIMFLEX®, PROMALIGHT®-1000 R HY, PROMALIGHT® MACHINED
	PARTS-1000R HY
Product group	: High temperature insulation.

1.2. Relevant identified uses of the Article and uses advised against

1.2.1. Use of the Article

Main use category Function or use category : Professional use

: High temperature insulation.

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Supplier

Microtherm N.V. Industriepark-Noord 1 9100 Sint Niklaas - BELGIUM T +32 3 7601980 - F +32 3 760 1999 info@microtherm.be - www.promat-industry.com

Other

Etex Building Performance BV Vleugelboot 22 3991 CL Houten - THE NETHERLANDS T +31 30 241 0770 - F +31 30 241 0771

Other

Promat UK Limited B1 The Innovation Centre, Pilsworth Road - Heywood Distribution Park Pilsworth Road OL10 2TS Heywood - UNITED KINGDOM T +44 (0)800 588 4444 sales@promat.co.uk

Other

Etex France Building Performance S.A. 500 rue Marcel Demonque, Agroparc - CS70088 84915 Avignon Cedex 9 - FRANCE T +33 (0)432 44 44 44 fds.efbp@etexgroup.com - www.promat.fr

Other

Other Promat Inc. USA 1731 Fred Lawson Drive

1731 Fred Lawson Drive 37801 Maryville, TN - UNITED STATES T +1 888 681 0155 - F +1 865 681 0016 industryUS@promat.com - www.promat.com/en-us/industry

Other Etex Building Performance N.V. Bormstraat 24 2830 Tisselt - BELGIUM T +32 15 71 81 00 - F +32 15 71 81 09 info@promat-international.com - www.promat-international.com

Other

Etex Building Performance GmbH Scheifenkamp 16 40878 Ratingen - GERMANY T +49 (0)2102 493 0 - F +49 (0)2102 493 111 mail@promat.de - www.promat.de

Other

Promat Ibérica S.A. C/ Velazquez, 47 – 6° Izquierda 28001 Madrid - SPAIN T +34 91 781 1550 - F +34 91 575 15 97 info@promat.es - www.promat.es

Other

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Promat S.p.A.	Etex Nordic A/S
Via Provinciale 10	Vendersgade 74,3
24040 Filago (BG) - ITALY	7000 Fredericia - DENMARK
T +39 035 99 37 37 - F +39 035 39 42 40	T +45 7366 1999
industria@promat.it - www.promat.com/industry	Promat-dk@etexgroup.com - www.promat.com/da-dk
Other	Other
Promat d.o.o.	Promat s.r.o.
Trata 50	Ckalova 22/784
4220 Skofja Loka - SLOVENIA	16000 Praha 6 - Bubenec - CZECH REPUBLIC
T +386 4 51 51 451 - F +386 4 51 51 450	T +420 224 390 811 - F +420 233 333 576
info@promat-see.com - www.promat-see.com	promat@promatpraha.cz - www.promatpraha.cz
Other	Other
Promat TOP Sp. z.o.o.	Etex Middle East LLC
ul. Przeclawska 8	Plot No. 597-921 Dubai Investment Park 2
03-879 Warszawa - POLAND	123945 Dubai - UNITED ARAB EMIRATES
T +48-22 212 2280 - F +48-22 212 2290	T +971 4 885 3070 - F +971 4 885 3588
top@promattop.pl - www.promattop.pl	info@promatfp.ae - www.promat.com

1.4. Emergency telephone number

Emergency number

: Please contact a regional poison center or emergency telephone number.

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the article

Not applicable : articles are not subjected to any obligation to classify (Art 4 of Regulation (EC) No 1272/2008)

2.2. Label elements

Not Applicable according to the CLP Regulation No (EC) 1272/2008.

2.3. Other hazards

Other hazards which do not result in classification : Can occur: eye irritation, irritation of mucous membranes and skin irritation. During machining the product (drilling, cutting, sanding, etc.), airborne dust can be released. As with most types of nuisance dust, excessive inhalation of dust may cause irritation of the bronchial tubes.

Some products of this GRADE family are supplied encapsulated in covering materials, such as woven glass cloth, non-woven polyester cloth, PE foil, aluminium foil and mica sheet. Some fibres, glass threads, covering materials or adhesives may be used that contain some organic fraction which may decompose upon first heating.

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Not applicable	
3.2. Mixtures	
Not applicable	
3.3. Article	
Components :	Amorphous silica, rutile, continuous filament fibre
SECTION 4: First aid measures	
4.1. Description of first aid measured	res
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Seek medical attention if ill effect or irritation develops. Remove to fresh air and drink water. Seek medical attention if irritation or symptoms persis Rinse affected areas with water, taking care not to scratch or rub. Seek medical attention if irritation or symptoms persist. Do not rub the eye. Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention. Ingestion unlikely due to product form. Do not induce vomiting. Rinse mouth. Drink plenty of water. Call a POISON CENTER/doctor if you feel unwell.
4.2. Most important symptoms and	l effects, both acute and delayed
	May cause irritation to the respiratory tract and to other mucous membranes.May cause temporary irritation/skin rash. Repeated exposure may cause skin dryness or

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media can be used.
5.2. Special hazards arising from the subs	tance or mixture
Explosion hazard Reactivity in case of fire	 Product is not explosive. The product is non-combustible. Covering : can be organic or contain organic components which can decompose when heated to temperatures greater than 150°C, emitting toxic gases.
5.3. Advice for firefighters	
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Minimise generation of dust. Avoid breathing dust. Avoid eye and skin contact. Dampen down any dust or use vacuum cleaner with correct filter.	
6.1.1. For non-emergency personnel		
Measures in case of dust release	: Use recommended respiratory protection. Prevent spread of dust. Dampen down any dust or use vacuum cleaner with correct filter.	
6.1.2. For emergency responders		
Protective equipment	: Use personal protective equipment as required.	
6.2. Environmental precautions		
Prevent spread of dust. Do not allow to enter drains or water courses.		

6.3. Methods and material for containing	ment and cleaning up
For containment Methods for cleaning up	: Use closed containers to avoid dust release.: Shovel up small pieces. Dampen down any dust before putting into appropriate skips.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	 Handling of products of this GRADE family, especially in an encapsulated form, is unlikely to generate significant quantities of airborne dust. Dust, generated during machining and processing must be exhausted and the regulatory occupational exposure limits (workplace exposure limits in UK) must be respected. Work in a well ventilated area. Use tools with appropriate dust exhaust equipment. Use always respiratory protective equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits in UK (refer to local regulations). Collect dust with a vacuum cleaner or soak with water before sweeping 	
Hygiene measures	up.Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in dry, covered and frost proof area.	

7.3. Specific end use(s)

High temperature insulation.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Silica (112945-52-5)	
Ireland - Occupational Exposure Limits	
Local name	Silicon dioxide, chemically
OEL TWA [1]	6 mg/m³ inhalable dust , 2,4 mg/m³ respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Silica (112945-52-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Silica, amorphous
WEL TWA (OEL TWA) [1]	6 mg/m ³ inhalable dust , 2,4 mg/m ³ respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Rutile (1317-80-2)	
Ireland - Occupational Exposure Limits	
Local name	Titanium dioxide
OEL TWA [1]	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust
United Kingdom - Occupational Exposure Limits	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	4 mg/m³ respirable 10 mg/m³ total inhalable

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

Occupational Exposure Limits / Workplace Exposure Limits for particles not otherwise classified or regulated (nuisance dust)	 : - in UK: Inhalable: 10 mg/m³. Respirable: 4 mg/m³ - in Ireland: Inhalable: 10 mg/m³. Respirable: 4 mg/m³
Additional information	: Ensure all national/local regulations are observed.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

When machining boards (drilling, cutting, sanding, etc.), respect Occupational Exposure Limits (OEL) or Workplace Exposure Limits (WEL in the UK). Check the latest Occupational Exposure Limits (OEL) or Workplace Exposure Limits (WEL in the UK) that are applicable in your country.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Avoid contact with eyes. Use safety glasses whenever tools are used and dusts are produced.

8.2.2.2. Skin protection

Skin and body protection:

Avoid contact with skin. Use working clothes and gloves to protect against mechanical injury and direct skin contact.

8.2.2.3. Respiratory protection

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection:

Avoid breathing dust. Use appropriate respiratory equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits for the UK (e.g. for exposures up to 10 times the OEL (WEL) use at least a P2 type dust mask. For higher exposure, use a P3 type mask).

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Colour	: brown.
Odour	: None.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
рН	: Not available
pH solution	: Not available
Viscosity, kinematic	: Not applicable
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle aggregation state	: Not available
Particle agglomeration state	: Not available
Particle specific surface area	: Not available
Particle dustiness	: Not available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Do not use the product at temperatures in excess of the maximum recommended operating temperature.

10.5. Incompatible materials

No additional information available.

10.6. Hazardous decomposition products

Core insulation : thermally stable to the recommended maximum operating temperature. Covering : can be organic or contain organic components which can decompose when heated to temperatures greater than 150°C, emitting toxic gases.

SECTION 11: Toxicological information				
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008				
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	:	Not classified Not classified Not classified		
Silane, dichlorodimethyl-, reaction	products v	vith silica (68611-44-9)		
LD50 oral rat		> 5000 mg/kg		
Dutile (4247.00.0)				
Rutile (1317-80-2)				
LD50 oral rat		> 5000 mg/kg		
Skin corrosion/irritation	:	Not classified		
Serious eye damage/irritation	-	Not classified		
Respiratory or skin sensitisation	-	Not classified		
Germ cell mutagenicity	-	Not classified		
Carcinogenicity	:	Not classified		
Reproductive toxicity	:	Not classified		
STOT-single exposure	:	Not classified		
STOT-repeated exposure	:	Not classified		
Aspiration hazard	:	Not classified		

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

11.2.2 Other information

Other information

: Some raw materials may contain very low levels of naturally occurring radioactive elements of the uranium and thorium series. The main radiological hazard from the product is internal exposure from small amounts of alpha particles given off by inhaled dust. Overexposure by inhalation to inhaled dusts containing radioactive uranium or thorium may cause lung cancer. Industrial hygiene practices aimed at control of airborne dust can lessen the potential for exposure, Radioactivity measurements performed in the Belgium production facility, dealing with large quantities of these materials resulted in very low radioactivity concentrations (at least a factor 100 lower than the yearly Belgian dose limit for occupationally exposed persons), The fibres used in this product do not meet the definition of critical or respirable fibre as defined by WHO convention because of their large diameter. Because the fibres are considered as non-respirable, they are not expected to pose a cancer risk.

SECTION 12: Ecological information

12.1. Toxicity				
Hazardous to the aquatic environment, short-term : Not classified (acute)				
Hazardous to the aquatic environment, long-term : Not classified (chronic)				
Rutile (1317-80-2)				
NOEC (acute)	5600 mg/l			
12.2. Persistence and degradability				
No additional information available.				
12.3. Bioaccumulative potential				
No additional information available.				
12.4. Mobility in soil				
No additional information available.				
12.5. Results of PBT and vPvB assessment				
No additional information available.				
12.6. Endocrine disrupting properties				
No additional information available.				
12.7. Other adverse effects				

No additional information available.

SECTION 13: Disposal consideration	s
13.1. Waste treatment methods	
Regional legislation (waste) Product/Packaging disposal recommendations	 Dispose of in accordance with relevant local regulations. Product (even after use above recommended operating temperature) is not classified as hazardous waste and may generally be disposed of at a normal landfill site that has been licensed for the disposal of industrial waste.

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW) code

: Please refer to the European list (Decision N° 2000/532/CE) to identify the wastes appropriate waste number.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	 Not regulated. Not regulated. Not regulated. Not regulated. Not regulated.
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID)	 Not regulated. Not regulated. Not regulated. Not regulated. Not regulated.
14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) IMDG	: Not regulated.
Transport hazard class(es) (IMDG) IATA Transport hazard class(es) (IATA)	: Not regulated.
ADN Transport hazard class(es) (ADN) RID	: Not regulated.
Transport hazard class(es) (RID)	: Not regulated.
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not regulated. Not regulated. Not regulated. Not regulated. Not regulated. Not regulated.
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	 No No No supplementary information available
14.6. Special precautions for user	
Overland transport Not regulated. Transport by sea Not regulated. Air transport Not regulated.	

Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Not regulated.

14.7. Maritime transport in bulk according to IMO instruments

Not established.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No additional information available.

SECTION 16: Other information

Indication of changes:

1.3. Details of the supplier of the safety data sheet.

Safety information applicable for : IE;MT;GB regions

DISCLAIMER OF LIABILITY

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.