

### Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 3/19/2024 Version: 1.0

PROMASEAL®-EP is an article within the meaning of REACH (REGULATION (EC) No 1907/2006) and as retained in UK law according to Statutory Instrument 2019 No 758 The REACH etc (Amendment etc) (EU Exit) Regulations 2019 ("UK REACH Regulation"). Safety data sheets do not have to be provided for articles.

Moreover this article, for which safety information is given, does not contain substances of very high concern, substances of which the use is restricted by the Commission or UK Regulator or substances on the Candidate List of Substances of Very High Concern for Authorisation. Even if this article is not subjected to any obligation to classify or label (Art 4 of Regulation (EC) No 1272/2008 and its equivalent retained in UK law), Promat has decided to provide information about identification, first aid and release measures, exposure control, disposal and transport.

This safety information sheet gives details to industrial and professional users on the safe use of this article. Throughout this document, references to EU Regulation include the equivalent regulations retained in UK law after 31 December 2020.

## SECTION 1: Identification of the article and of the company/undertaking

### 1.1. Product identifier

Product form : Article  
Trade name : PROMASEAL®-EP  
Product group : Trade product

### 1.2. Relevant identified uses of the Article and uses advised against

#### 1.2.1. Use of the Article

Main use category : Professional use  
Function or use category : Fire protection

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Promat S.p.A.  
Via Provinciale 10  
IT 24040 Filago (BG)  
ITALY  
T +39 035 99 37 37, F +39 035 39 42 40  
[industria@promat.it](mailto:industria@promat.it), [www.promat.com/industry](http://www.promat.com/industry)

#### Other

Etex Building Performance N.V.  
Bormstraat 24  
BE 2830 Tiselt  
BELGIUM  
T +32 15 71 81 00, F +32 15 71 81 09  
[info@promat-international.com](mailto:info@promat-international.com), [www.promat-international.com](http://www.promat-international.com)

#### Other

Etex Building Performance S.p.A.  
Via Perlasca 14  
IT 27010 Vellezzo Bellini (PV)  
ITALY  
T +39 0382 4575 251, F +39 0382 4575 250  
[info@promat.it](mailto:info@promat.it), [www.promat.it](http://www.promat.it)

#### Other

Etex Poland sp. z o.o.  
ul. Przeclawska 8  
PL 03-879 Warszawa  
POLAND  
T +48-22 212 2280  
[top@promatop.pl](mailto:top@promatop.pl), [www.promat.com](http://www.promat.com)

#### Other

#### Other

Etex Building Performance GmbH  
St.-Peter-Straße 25  
AT 4021 Linz  
AUSTRIA  
T +43 732 6912 0  
[info.at@etexgroup.com](mailto:info.at@etexgroup.com), [www.promat.at](http://www.promat.at)

#### Other

Etex Building Performance Limited  
Gordano House, Marsh Lane, Easton-in-Gordano  
Eastern Road  
GB BS20 0NE Bristol, Berkshire  
UNITED KINGDOM  
T +44 (0800) 373 636  
[marketinguk@promat.co.uk](mailto:marketinguk@promat.co.uk), [www.promat.co.uk](http://www.promat.co.uk)

#### Other

Etex France Building Performance S.A.  
500 rue Marcel Demonque, Agroparc - CS70088  
FR 84915 Avignon Cedex 9  
FRANCE  
T +33 (0)432 44 44 44  
[fds.efbp@etexgroup.com](mailto:fds.efbp@etexgroup.com), [www.promat.fr](http://www.promat.fr)

#### Other

Promat Ibérica S.A.  
C/ Velazquez, 47 – 6º Izquierda  
ES 28001 Madrid  
SPAIN  
T +34 91 781 1550, F +34 91 575 15 97  
[info@promat.es](mailto:info@promat.es), [www.promat.es](http://www.promat.es)

#### Other

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Promat d.o.o.  
Trata 50  
SI 4220 Skofja Loka  
SLOVENIA  
T +386 4 51 51 451, F +386 4 51 51 450  
[info@promat-see.com](mailto:info@promat-see.com), [www.promat-see.com](http://www.promat-see.com)

### Other

Promat s.r.o.  
Evropská 11/2758  
CZ 16000 Praha 6 - Dejvice  
CZECH REPUBLIC  
T +420 224 390 811  
[promat.praha@etexgroup.com](mailto:promat.praha@etexgroup.com), [www.promatpraha.cz](http://www.promatpraha.cz)

### Other

Etex Building Performance GmbH  
Scheifenkamp 16  
DE 40878 Ratingen  
GERMANY  
T +49 (0)2102 493 0, F +49 (0)2102 493 111  
[mail@promat.de](mailto:mail@promat.de), [www.promat.de](http://www.promat.de)

Promat AG  
Industriestrasse 3  
CH 9542 Münchwilen  
SWITZERLAND  
T +41 52 320 9400, F +41 52 320 9402  
[office@promat.ch](mailto:office@promat.ch), [www.promat.ch](http://www.promat.ch)

### Other

Etex Nordic A/S  
Vendersgade 74,3  
DK 7000 Fredericia  
DENMARK  
T +45 7366 1999  
[Promat-dk@etexgroup.com](mailto:Promat-dk@etexgroup.com), [www.promat.com/da-dk](http://www.promat.com/da-dk)

### Other

Etex Middle East LLC  
Plot No. 597-921 Dubai Investment Park 2  
AE 123945 Dubai  
UNITED ARAB EMIRATES  
T +971 4 885 3070, F +971 4 885 3588  
[info@promatfp.ae](mailto:info@promatfp.ae), [www.promat.com](http://www.promat.com)

## 1.4. Emergency telephone number

Emergency number : Please contact a regional poison center or emergency telephone number.

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

## SECTION 2: Hazards identification

### 2.1. Classification of the article

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

No labelling applicable

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Not applicable

Full text of H- and EUH-statements: see section 16

#### 3.3. Article

Components : Intumescent fire protection seal on basis of graphite that expands in case of fire.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: If dust are formed : Avoid creating or spreading dust. Move the affected person away from the contaminated area and into the fresh air.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Do not rub eye. Rinse immediately with plenty of water.
First-aid measures after ingestion	: Do NOT induce vomiting. Drink plenty of water. Get immediate medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released. Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Phosphorous oxide.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Do not breathe dust. Avoid contact with skin and eyes.
Measures in case of dust release	: Dust deposited may be vacuum cleaned.

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal.  
Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid dust formation. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety procedures.  
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Store in a dry place. Keep cool. Do not freeze. Keep out of reach of children.  
Incompatible products : Oxidizing agent. Hydrocarbons.  
Information on mixed storage : Do not store with: Animal feed. Food. drinks.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

PROMASEAL®-EP	
EU - Indicative Occupational Exposure Limit (IOEL)	
Occupational Exposure Limits / Workplace Exposure Limits for particles not otherwise classified or regulated (nuisance dust)	- in UK: Inhalable: 10 mg/m <sup>3</sup> . Respirable: 4 mg/m <sup>3</sup> - in Ireland: Inhalable: 10 mg/m <sup>3</sup> . Respirable: 4 mg/m <sup>3</sup>
Talc /Talc containing no asbestos fibers/ (14807-96-6)	
Ireland - Occupational Exposure Limits	
Local name	Talc
OEL TWA	10 mg/m <sup>3</sup> total inhalable dust 0.8 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Talc /Talc containing no asbestos fibers/ (14807-96-6)	
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Talc
WEL TWA (OEL TWA)	1 mg/m <sup>3</sup> respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### Exposure limit values for the other components

vinyl acetate (108-05-4)	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Vinyl acetate
IOEL TWA	17.6 mg/m <sup>3</sup>
	5 ppm
IOEL STEL	35.2 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Vinyl acetate
OEL TWA	17.6 mg/m <sup>3</sup>
	5 ppm
OEL STEL	35.2 mg/m <sup>3</sup>
	10 ppm
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021
<b>Malta - Occupational Exposure Limits</b>	
Local name	Vinyl acetate
OEL TWA	17.6 mg/m <sup>3</sup>
	5 ppm
OEL STEL	35.2 mg/m <sup>3</sup>
	10 ppm
Remark	Skin # Ġilda
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021)
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Vinyl acetate
WEL TWA (OEL TWA)	17.6 mg/m <sup>3</sup>
	5 ppm
WEL STEL (OEL STEL)	35.2 mg/m <sup>3</sup>
	10 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Avoid contact with eyes. Use safety glasses whenever tools are used and dusts are produced.

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable work clothes. Wash contaminated clothing before reuse.

##### Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)				EN ISO 374

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Not required for normal conditions of use. Use appropriate respiratory equipment when exposures are likely or can be foreseen to exceed the Occupational Exposure Limits or Workplace Exposure Limits for the UK (e.g. for exposures up to 10 times the OEL (WEL) use at least a P2 type dust mask. For higher exposure, use a P3 type mask).

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colour	: Grey.
Odour	: odourless.
Melting point	: $\approx 70$ °C
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Non flammable.
Explosive properties	: Not explosive.
Explosive limits	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Density	: $\approx 1.2$ g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Particle size	: Not available

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Avoid dust formation. Protect from sunlight. Decomposes on heating.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information : Dust from this product may cause irritation to the respiratory tract

<b>Bisguanidine phosphate (5423-23-4)</b>	
LD50 oral rat	500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
ATE CLP (oral)	500 mg/kg bodyweight
<b>Talc /Talc containing no asbestos fibers/ (14807-96-6)</b>	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.1 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EU Method B.2 (Acute Toxicity (Inhalation)), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
<b>Polyethylene Glycol (25322-68-3)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Remarks on results: other:
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
<b>Aluminium Hydroxide (21645-51-2)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
Skin corrosion/irritation	: Not classified
Additional information	: Dust from this product may cause skin irritation
Serious eye damage/irritation	: Not classified
Additional information	: Dust from this product may cause eye irritation
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>Talc /Talc containing no asbestos fibers/ (14807-96-6)</b>	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)
<b>Polyethylene Glycol (25322-68-3)</b>	
LOAEL (oral, rat, 90 days)	16000 mg/kg bodyweight Animal: rat, Guideline: other:
NOAEL (oral, rat, 90 days)	8000 mg/kg bodyweight Animal: rat, Guideline: other:
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	1 mg/l air Animal: rat, Guideline: other:
<b>Aluminium Hydroxide (21645-51-2)</b>	
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (subchronic, oral, animal/male, 90 days)	1034 mg/kg bodyweight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
NOAEL (subchronic, oral, animal/female, 90 days)	1087 mg/kg bodyweight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)



# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aspiration hazard : Not classified

### PROMASEAL®-EP

Viscosity, kinematic	Not applicable
----------------------	----------------

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Not rapidly degradable

#### Bisguanidine phosphate (5423-23-4)

EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
----------------------	--

EC50 72h - Algae [1]	110 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
----------------------	--

#### Talc /Talc containing no asbestos fibers/ (14807-96-6)

LC50 - Fish [1]	89581.02 mg/l Test organisms (species): other:
-----------------	--

LC50 - Fish [2]	110000 mg/l Test organisms (species): other:
-----------------	--

EC50 96h - Algae [1]	7202.7 mg/l Test organisms (species): other:
----------------------	--

NOEC (chronic)	1459798 mg/l Test organisms (species): other: Duration: '30 d'
----------------	--

#### Polyethylene Glycol (25322-68-3)

LC50 - Fish [1]	> 100 mg/l Test organisms (species): Poecilia reticulata
-----------------	--

EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
----------------------	--

EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): other:
----------------------	---

NOEC (chronic)	17475.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
----------------	--

NOEC chronic fish	13671.59 mg/l Test organisms (species): other: Duration: '28 d'
-------------------	---

### 12.2. Persistence and degradability

#### PROMASEAL®-EP

Persistence and degradability	Not readily biodegradable.
-------------------------------	----------------------------

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions and in accordance to local and regional legislation.
European List of Waste (LoW, EC 2000/532)	: 07 02 13 - waste plastic 17 02 03 - Plastic

## SECTION 14: Transport information

Not regulated for transport  
In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR)	: Not regulated.
UN-No. (IMDG)	: Not regulated.
UN-No. (IATA)	: Not regulated.
UN-No. (ADN)	: Not regulated.
UN-No. (RID)	: Not regulated.

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not regulated.
Proper Shipping Name (IMDG)	: Not regulated.
Proper Shipping Name (IATA)	: Not regulated.
Proper Shipping Name (ADN)	: Not regulated.
Proper Shipping Name (RID)	: Not regulated.

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not regulated.

**IMDG**  
Transport hazard class(es) (IMDG) : Not regulated.

**IATA**  
Transport hazard class(es) (IATA) : Not regulated.

**ADN**  
Transport hazard class(es) (ADN) : Not regulated.

**RID**  
Transport hazard class(es) (RID) : Not regulated.

### 14.4. Packing group

Packing group (ADR)	: Not regulated.
Packing group (IMDG)	: Not regulated.
Packing group (IATA)	: Not regulated.
Packing group (ADN)	: Not regulated.

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing group (RID) : Not regulated.

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

#### Inland waterway transport

Not regulated.

#### Rail transport

Not regulated.

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Not applicable.

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list.

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified

# PROMASEAL®-EP

## Safety information

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
H302	Harmful if swallowed.

Safety Data Sheet applicable for regions : IE;MT;GB