

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture  
Product name : PROMASEAL®-AG  
Product group : Fire protection

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional use  
Use of the substance/mixture : Fire protection in buildings.

#### 1.2.2. Uses advised against

No additional information available.

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Etex Building Performance GmbH  
St.-Peter-Straße 25  
4021 Linz - AUSTRIA  
T +43 732 6912 0  
[info.at@etexgroup.com](mailto:info.at@etexgroup.com) - [www.promat.at](http://www.promat.at)

#### Other

Etex Building Performance Limited  
Gordano House, Marsh Lane, Easton-in-Gordano  
Eastern Road  
BS20 0NE Bristol - UNITED KINGDOM  
T +44 (0800) 373 636  
[marketinguk@promat.co.uk](mailto:marketinguk@promat.co.uk) - [www.promat.co.uk](http://www.promat.co.uk)

#### Other

Etex France Building Performance S.A.  
500 rue Marcel Demonque, Agroparc - CS70088  
84915 Avignon Cedex 9 - FRANCE  
T +33 (0)432 44 44 44  
[fds.efbp@etexgroup.com](mailto:fds.efbp@etexgroup.com) - [www.promat.fr](http://www.promat.fr)

#### Other

Promat Ibérica S.A.  
C/ Velazquez, 47 – 6° Izquierda  
28001 Madrid - SPAIN  
T +34 91 781 1550 - F +34 91 575 15 97  
[info@promat.es](mailto:info@promat.es) - [www.promat.es](http://www.promat.es)

#### Other

Promat AG  
Industriestrasse 3  
9542 Münchwilen - SWITZERLAND  
T +41 52 320 9400 - F +41 52 320 9402  
[office@promat.ch](mailto:office@promat.ch) - [www.promat.ch](http://www.promat.ch)

#### Other

Etex Nordic A/S  
Vendersgade 74,3  
7000 Fredericia - DENMARK  
T +45 7366 1999  
[Promat-dk@etexgroup.com](mailto:Promat-dk@etexgroup.com) - [www.promat.com/da-dk](http://www.promat.com/da-dk)

#### Other

Promat Australia Pty Ltd  
1 Scotland Road, Mile End South

#### Other

Etex Building Performance N.V.  
Bormstraat 24  
2830 Tiselt - BELGIUM  
T +32 15 71 81 00 - F +32 15 71 81 09  
[info@promat-international.com](mailto:info@promat-international.com) - [www.promat-international.com](http://www.promat-international.com)

#### Other

Etex Building Performance S.p.A.  
Via Perlasca 14  
27010 Vellezzo Bellini (PV) - ITALY  
T +39 0382 4575 251 - F +39 0382 4575 250  
[info@promat.it](mailto:info@promat.it) - [www.promat.it](http://www.promat.it)

#### Other

Promat TOP Sp. z.o.o.  
ul. Przeclawska 8  
03-879 Warszawa - POLAND  
T +48-22 212 2280 - F +48-22 212 2290  
[top@promatop.pl](mailto:top@promatop.pl) - [www.promatop.pl](http://www.promatop.pl)

#### Other

Promat d.o.o.  
Trata 50  
4220 Skofja Loka - SLOVENIA  
T +386 4 51 51 451 - F +386 4 51 51 450  
[info@promat-see.com](mailto:info@promat-see.com) - [www.promat-see.com](http://www.promat-see.com)

#### Other

Promat s.r.o.  
Ckalova 22/784  
16000 Praha 6 - Bubenec - CZECH REPUBLIC  
T +420 224 390 811 - F +420 233 333 576  
[promat@promatpraha.cz](mailto:promat@promatpraha.cz) - [www.promatpraha.cz](http://www.promatpraha.cz)

#### Other

Etex Building Performance GmbH  
Scheifenkamp 16  
40878 Ratingen - GERMANY  
T +49 (0)2102 493 0 - F +49 (0)2102 493 111  
[mail@promat.de](mailto:mail@promat.de) - [www.promat.de](http://www.promat.de)

#### Other

Etex Middle East LLC  
Plot No. 597-921 Dubai Investment Park 2

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SA 5031 Adelaide - AUSTRALIA  
T +61 8 8352 6759 - F +61 8 8352 1014  
[PAPL.mail@etexgroup.com](mailto:PAPL.mail@etexgroup.com) - [www.promat-ap.com](http://www.promat-ap.com)

123945 Dubai - UNITED ARAB EMIRATES  
T +971 4 885 3070 - F +971 4 885 3588  
[info@promatfp.ae](mailto:info@promatfp.ae) - [www.promat.com](http://www.promat.com)

### 1.4. Emergency telephone number

Emergency number : Please contact a regional poison center or emergency telephone number.

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

No additional information available.

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)(55965-84-9). May produce an allergic reaction.  
EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not established.

### 3.2. Mixtures

Comments : Mixture of the substances listed below with harmless additives

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Calcium carbonate substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 1317-65-3 (EC-No.) 215-279-6	≥ 10 – < 25	Not classified
KAOLIN substance with national workplace exposure limit(s) (IE, GB)	(CAS-No.) 1332-58-7 (EC-No.) 310-194-1	≥ 5 – < 10	Not classified
Aluminium hydroxide, Aluminium trihydrate substance with national workplace exposure limit(s) (GB)	(CAS-No.) 21645-51-2 (EC-No.) 244-492-7	≥ 5 – < 10	Not classified
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	< 0,0015	Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Dermal), H310 Acute Tox. 3 (Oral), H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
Reaction mass of 2-methyl-2H-isothiazol-3-one and 5-chloro-2-methyl-2H-isothiazol-3-one	(CAS-No.) 55965-84-9 (EC Index-No.) 613-167-00-5	( 0.0015 ≤ C < 100) Skin Sens. 1A, H317 ( 0.06 ≤ C < 0.6) Skin Irrit. 2, H315 ( 0.06 ≤ C < 0.6) Eye Irrit. 2, H319 ( 0.6 ≤ C < 100) Eye Dam. 1, H318 ( 0.6 ≤ C < 100) Skin Corr. 1C, H314

Comments : The product does not contain any substances of very high concern (SVHC).  
Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash off immediately with soap and plenty of water removing at the same time all contaminated clothes. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Consult an eye specialist.

First-aid measures after ingestion : Rinse mouth out with water. Seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media can be used. Use extinguishing media appropriate for surrounding fire.

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes.

#### 6.1.1. For non-emergency personnel

No additional information available.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Do not allow entry to drains, sewers, water courses or soil.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Dispose in a safe manner in accordance with local/national regulations.

### 6.4. Reference to other sections

See sections 7, 8 and 11.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid all unnecessary exposure.

Handling temperature :  $\geq 5\text{ }^{\circ}\text{C}$

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat and direct sunlight. Protect against frost.

### 7.3. Specific end use(s)

No additional information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

##### Aluminium hydroxide, Aluminium trihydrate (21645-51-2)

##### United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup>
WEL STEL (OEL STEL)	4 mg/m <sup>3</sup>

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Calcium carbonate (1317-65-3)	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Calcium carbonate [Limestone, Marble]
OEL TWA [1]	10 mg/m <sup>3</sup> total inhalable dust 4 mg/m <sup>3</sup> respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Calcium carbonate (Limestone, Marble)
WEL TWA (OEL TWA) [1]	10 mg/m <sup>3</sup> total inhalable 4 mg/m <sup>3</sup> respirable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

KAOLIN (1332-58-7)	
<b>Ireland - Occupational Exposure Limits</b>	
Local name	Kaolin, respirable dust
OEL TWA [1]	2 mg/m <sup>3</sup>
Regulatory reference	Chemical Agents Code of Practice 2021
<b>United Kingdom - Occupational Exposure Limits</b>	
Local name	Kaolin
WEL TWA (OEL TWA) [1]	2 mg/m <sup>3</sup> respirable dust
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

### 8.1.2. Recommended monitoring procedures

No additional information available.

### 8.1.3. Air contaminants formed

No additional information available.

### 8.1.4. DNEL and PNEC

No additional information available.

### 8.1.5. Control banding

No additional information available.

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure adequate ventilation.

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Risk of contact: wear approved safety goggles.

#### 8.2.2.2. Skin protection

##### Hand protection:

Use chemical resistant, impermeable gloves. Wash hands after handling.

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No special protection required where adequate ventilation is maintained

### 8.2.2.4. Thermal hazards

No additional information available.

### 8.2.3. Environmental exposure controls

No additional information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Grey.
Appearance	: Paste.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not determined
Freezing point	: Not available
Boiling point	: ≈ 100 °C
Flammability	: Not available
Explosive properties	: Not explosive.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable
Auto-ignition temperature	: Not self-igniting
Decomposition temperature	: Not available
pH	: Not determined
Viscosity, kinematic	: Not available
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 23 hPa (20°C)
Vapour pressure at 50 °C	: Not available
Density	: ≈ 1.6 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available.

#### 9.2.2. Other safety characteristics

Percent Solids	: ≈ 85 %
VOC content	: < 10 g/l

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available.

#### 10.2. Chemical stability

No additional information available.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

No additional information available.

#### 10.5. Incompatible materials

No additional information available.

#### 10.6. Hazardous decomposition products

No additional information available.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Aluminium hydroxide, Aluminium trihydrate (21645-51-2)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
---------------	---

#### Calcium carbonate (1317-65-3)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

Skin corrosion/irritation : Not classified  
pH: Not determined  
Serious eye damage/irritation : Not classified  
pH: Not determined  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified (Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ .)  
Reproductive toxicity : Not classified

#### Aluminium hydroxide, Aluminium trihydrate (21645-51-2)

NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
---------------------------	--

STOT-single exposure : Not classified

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-repeated exposure : Not classified

### Aluminium hydroxide, Aluminium trihydrate (21645-51-2)

NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
--	---

Aspiration hazard : Not classified

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### 11.2.2 Other information

Other information : No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

### PROMASEAL®-AG

Additional information	No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation
------------------------	---

### Calcium carbonate (1317-65-3)

LC50 - Fish [1]	> 10000 mg/l
-----------------	--------------

EC50 - Crustacea [1]	> 1000 mg/l
----------------------	-------------

## 12.2. Persistence and degradability

No additional information available.

## 12.3. Bioaccumulative potential

No additional information available.

## 12.4. Mobility in soil

No additional information available.

## 12.5. Results of PBT and vPvB assessment

### PROMASEAL®-AG

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Endocrine disrupting properties

No additional information available.

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.7. Other adverse effects

Additional information : Do not allow entry to drains, sewers, water courses or soil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Do not allow entry to drains, sewers, water courses or soil. Dispose in a safe manner in accordance with local/national regulations.

European List of Waste (LoW) code : Please refer to the European list (Decision N° 2000/532/CE) to identify the wastes appropriate waste number.  
08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : Not regulated.  
UN-No. (IMDG) : Not regulated.  
UN-No. (IATA) : Not regulated.  
UN-No. (ADN) : Not regulated.  
UN-No. (RID) : Not regulated.

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not regulated.  
Proper Shipping Name (IMDG) : Not regulated.  
Proper Shipping Name (IATA) : Not regulated.  
Proper Shipping Name (ADN) : Not regulated.  
Proper Shipping Name (RID) : Not regulated.

### 14.3. Transport hazard class(es)

**ADR**  
Transport hazard class(es) (ADR) : Not regulated.

**IMDG**  
Transport hazard class(es) (IMDG) : Not regulated.

**IATA**  
Transport hazard class(es) (IATA) : Not regulated.

**ADN**  
Transport hazard class(es) (ADN) : Not regulated.

**RID**  
Transport hazard class(es) (RID) : Not regulated.

### 14.4. Packing group

Packing group (ADR) : Not regulated.  
Packing group (IMDG) : Not regulated.  
Packing group (IATA) : Not regulated.  
Packing group (ADN) : Not regulated.  
Packing group (RID) : Not regulated.

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated.

#### Transport by sea

Not regulated.

#### Air transport

Not regulated.

#### Inland waterway transport

Not regulated.

#### Rail transport

Not regulated.

### 14.7. Maritime transport in bulk according to IMO instruments

Not established.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list.

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

VOC content : < 10 g/l

#### 15.1.2. National regulations

No additional information available.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

#### Indication of changes:

2. Hazards identification. 3. Composition/information on ingredients. 8. Exposure controls/personal protection.

#### Full text of H- and EUH-statements:

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
EUH208	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7], and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1)(55965-84-9). May produce an allergic reaction.

# PROMASEAL®-AG

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H301	Toxic if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

Safety information applicable for : IE;MT;GB  
regions

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.